In re the Application of:

In the United States Patent and Trademark Office

Steven Edward Atkin)	
Serial Number: 09/838,377)	Group: 2122
Docket Number: AUS920010277US1)	Examiner: Andre R. Fowlkes
Filed on: 04/19/2001)	
For: "Bi-Directional Display")	

AFFIDAVIT UNDER 37 CFR §1.132

I, STEVEN EDWARD ATKIN, Ph.D., declare as follows:

- 1. I am the inventor and applicant of the invention entitled "Bi-Directional Display", disclosed and claimed in U.S. Patent Application Serial No. 09/838,377 filed on April 19, 2001.
- 2. The invention described and claimed in said application was conceived by me prior to October 4, 2000, as evidenced by the following facts which are of my own knowledge.
- (a) The paper cited by the Examiner of said patent application, entitled "Implementations of Bidirectional Reordering Algorithms", Florida Tech Technical Report CS-2000-1, by Steven Atkin and Ryan Stansifer was authored by me. During my attendance at Florida Institute of Technology, Dr. Stansifer was my faculty advisor, and as such, acted in an advisory, reviewer and editor role only. This Technical Report was written during the development of my invention as claimed in said Patent Application. The Technical Report number was assigned upon my request on October 4, 2000, in advance of completion of the actual report, as the policy of the Technical Report Library was to assign report numbers upon submission of a title, author name, and abstract.
- (b) I conceived of my invention prior to October 4, 2000, as evidenced by Appendix A to this affidavit, which includes several code files dated in June of 2000. These early prototypes of my invention were developed in order to test and prove the validity of the concept, some of the results of which were provided in the disclosure of the Patent Application.

Serial No. 09/838,377	Steven Edward Atkin	Page 2 of 3
was submitted to inside pate January 26, 2001. Shortly t	of verification testing and prototype nt counsel for my employer, Intern thereafter, I was notified that the direct by outside patent counsel Rober ication on April 19, 2001.	ational Business Machines, on sclosure had been selected for
Application. Dr. Stansifer is only a co-author, but not disclosed and claimed in the		d cited Technical Report, and thus d of and prototyped the invention er 4, 2000. Leaf Additional Report, and thus desired the invention are 4, 2000.
Sworn and subscribe	ed to before me this day o	

My Commission Expires

AFFIDAVIT APPENDIX

Page 3 of 10

1.25 Order					
### 1252 OUT Pre					
1.000 Cultree (197000 2-17-17 (19700 1-17-17 (197000 1-17-17 (2			
### 1249 TOTTON 100000 24-18-19 (19600) 2- 5. \$1.50 TOTTON 10000 24-18-19 (19600) 2- ***APRIL 10000 24-18-19 (19600) 24-18-19 (19600) 2- **APRIL 10000 24-18-19 (19600) 2- ***APRIL 10000 24-18-19 (19600) 2- **APRIL 10000 24-18			OUTFE	0.9.2000	(0666) A
6,9922 OFT ## 6,67000 247PH (0566) A 4,9463 167Pe (67000 247PH (0566) A 5,926 1357Pe (67000 247PH (0566) A 5,926 1357Pe (67000 247PH (0566) A 1,738 1957Pe (67000 247PH (0566) A 1,738 1957Pe (67000 1257PH (0566) A 2,540 107Pe (67000 1257PH (0566) A 2,540 107Pe (67000 1257PH (0566) A 2,540 107Pe (67000 1127PH (0566) A 4,523 107Pe (67000 1257PH (0560) A 4,523 107Pe (67000 1257PH (0560) A 4,523 107Pe (f ashr. bt			M4 01-12 0002/91/9	t (9990)
4,5,168 GPR- 6,07000 31-0PH (0669) A 4,988 GPR- 6,07000 31-0PH (0669) A 1,788 GPR- 6,07000 31-0PH (0669) A 1,788 GPR- 6,07000 31-0PH (0669) A 238 Tev Doument 5;05000 12-5PH (0669) A 2,500 G OFF 6,07000 31-0PH (0669) A 1,289 GPR- 6,07000 31-0PH (0669) A 5,250 GPR- 6,07000 31-0PH (0660) A 5,250 GP	e abic 2.001	6		6/16/2000 2:41 PM	(0666) A
1.298 1357 Per 6/2000 572 AH (0966) A (2000 570 AH (0960) A (2000 570 AH (0966) A (2000 570 AH (0960) A (2000	型 2.12 2.13 3.13 3.13 3.13 3.13 3.13 3.13	y v		6/6/2000 St 44 A/A	# (9540) # (9540)
State Out		ř		147 DZ 15 000Z 1619	(0556) A
\$45 OUTHER \$15,000 LD28 PH [0066) A	The factor of th			6.8/2000 3:56 PM	(0666) A
275 Text Document 5175200 1231 PM (0566) A 445 Use Trip (6760) 45 PM (0566) A 1,2608 Out Trip (618000 0.54 PM (0566) A 1,270 125 Text Document 678000 1128 PM (0566) A 1,270 125 Text Document 678000 1128 PM (0566) A 572 167 167 167 167 167 167 167 167 167 167				HE 85-27 0002/92/5	(1)466).A
445 USTR 6/1000 USTR 6/1000 USTR 6/600 USTR	(i) habrem.txt			175/2000 12/21 PM	+ (555Q)
2,000 OUTFLE 6,10,000 9,134 (0,066) A 2,000 OUTFLE 6,10,000 9,134 (0,066) A 913 OUTFLE 6,000 9,134 (0,066) A 913 OUTFLE 6,000 1,134 (0,066) A 8123 Fert 0,000 9,134 (0,066) A 8123 DUFFLE 6,000 9,134 (0,066) A 8,135 HF FLE 6,000 9,134 (0,066) A 8,135 HF FLE 6,000 9,134 (0,066) A 8,135 HF FLE 6,10,000 9,134 (0,066) A 8,135 HF FLE 6,10,000 9,144 (0,066) A 8,135 HF FLE 6,10,000 9,144 (0,066) A 1,131 OLUS FLE 6,10,000 9,144 (0,066) A 1,131 OLUS FLE 6,10,000 9,144 (0,066) A 1,132 HF 6,10,000 9,174 (0,066) A 7,18 HF 10,000 9,174 (0,066) A 7,18 HF 10,000 9,176	Man Market Action 1997			6/4/2000 12:56 PM	(0566) 4
1,1999 1574 6(\$200 0.13 M (0066) A (006	Method in the second in the se	•		פיפוליסות איז אינו	(3000) A
9218 GUTFR 6/8/2000 11:28 Avt (00666) A 6723 6 FERT CALCERON 1 6/8/2000 11:28 Avt (00666) A 6723 6 FERT CALCERON 5:28 Avt (00666) A 8,042 8 5 FERT CALCERON 5:28 Avt (00666) A 8,042 8 5 FERT CALCERON 5:28 Avt (00666) A 4,322 8 GUTFR 6/15/2000 5:28 Avt (00666) A 4,322 8 GUTFR 6/15/2000 5:28 Avt (00666) A 7,715 B GLASS FERT 6/15/2000 5:44 Avt (00666) A 7,715 B GLASS FERT 6/15/2000 5:44 Avt (00666) A 7,715 B GLASS FERT 6/15/2000 5:44 Avt (00666) A 7,715 B GLTFR 6/15/2000 5:47 Avt (00666) A 7,715 B GLTFR 6/15/2000 2:77 Avt (00666) A 7,715 B GLTFR 6/15/2000 2:77 Avt (00666) A 7,715 GLTFR 7,715 GLTFR 6/15/2000 2:77 Avt (00666) A 7,715 GLTFR 7,715 GLTFR 7,715/2000 2:77 Avt (00666) A 7,715 GLTFR 7,715/2000 2:77 Avt (00666) Avt (00666) A 7,715 GLTFR 7,715/2000 2:77 Avt (00666) Avt (00666) Avt (00666) Avt (00666) Avt (00666) Avt (0		.		6/5/2000 9:33 AM	(9990) V (9990)
55.5 Test boanness 65.000 11.55.44 (0666) A 50.79 16.79 6.79 6.79 6.70 6.50 7.00 6.50 A 50.79 16.79 6.79 6.70 6.50 7.00 6.50 A 50.70 10		•		6,6/2000 11:29 AM	(0666) A
87.2 1-5 7-2 6 5,000 5-3.2 147 (0666) A 8.05.8 9 407 7-6 (19700 5-3.2 147 (0666) A 8.05.8 9 407 7-6 (19700 5-3.2 147 (0666) A 8.35.8 0.07 8-6 (19700 5-3.2 147 (0666) A 4.35.8 10.07 8-7 (19700 0.0.2 147 (0666) A 7.75.8 0.05 7-6 (19700 0.0.2 147 (0666) A 7.75.9 0.05 7-6 (19700 0.0.2 147 (0666) A 7.75.9 0.07 7-6 (19700 0.0.2 147 (0666) A 7.75.9 0.07 7-6 (19700 0.0.3 147 (0666) A 7.75.9 0.07 7-6 (19700 0.0.3 147 (0666) A 7.75.9 0.07 7-7 (0666) A 7.75.9 0.07	in consist to	*		6,5/2000 11:25 AH	(Deed) A
8,028 94(Pe 6/6)200 23,344 (0666) A 8,248 56(Pe 6/6)200 23,344 (0666) A 8,248 56(Pe 6/6)200 23,444 (0666) A 4,328 0.0 Pe 6/6)200 52,444 (0666) A 4,329 95(Pe 6/6)200 52,454 (0666) A 1,1015 CLAS Pe 6/6)200 52,454 (0666) A 1,240 1AV Pe 6/6)200 52,454 (0666) A 1,240 1AV Pe 6/6)200 52,474 (0666) A 1,340 0.0 CP 6 6/6)200 24,774 (0666) A 4,073 0.0 CP 6 6/6)200 23,574 (0666) A 4,073 0.0 CP 6 6/6)200 23,574 (0666) A 4,073 0.0 CP 6 6/6)200 23,574 (0666) A	Ter.	-		6,6,72005 9:32 AM	(0666) A
8,026 9,476 6,19,200 2,20 PH (0,666) A (19,200 2,21 PH (0,666) A (19,200 2,24 PH (0,666) A (19,2	Miles Charles in			6/6/2000 9:33 AM	A (0555)
6,372 Brie 6/1/200 G. 20. W (1000) A (1322 Brie 6/1/200 B. 20. W (1000) A (1322 Brie 6/1/200) A (1322 Brie 6/1/2	Marin Company	eo (FL 82 5000 (51/9)	(0666) A
4.328 H5-H6 5/27200 0:030 AF (0666) A (10866) A (1180 CLSS PE (6/5000 S-44 (0666) A (1780 S-44 (0666) A (1		kaiα		spirone entran	(1000) H
63108 Re 11/01900 21/574 (0666) A 1,0118 CLASS Re 6/8/2000 9:44-44 (0666) A 1,202 JAM Fe 6/8/2000 21-57-44 (0666) A 1,205 DUTTRE 6/8/2000 21-57-44 (0666) A 1,205 DUTTRE 6/8/2000 21-57-44 (0666) A 4,0738 CUTTRE 6/16/2000 21-57-44 (0666) A 4,0738 CUTTRE 6/16/2000 21-57-44 (0666) A		σ •		ייהיטניד שמשינינים	(1994)
1,0118 CLUSS PE 6/9/2009 9-4-4/4 (0666) A 1,7158 CLUSS PE 6/9/2009 9-4-4/4 (0666) A 1,209 JAT PE 6/9/2009 2-4/7 H (0666) A 1,209 CLT PE 6/9/2000 2-4/7 PH (0666) A 4,0738 CLT PE 104 204 24/16/2000 2-5/5 PH (0666) A 4,0738 CLT PE 104 204 24/16/2000 2-5/5 PH (0666) A 4,0738 CLT PE 104 204 24/16/2000 2-5/5 PH (0666) A		•		11/3/1999 1:35 PM	¥ (9990)
7,713B CLASS Fee 6,67000 9:44-241 (0666) A 1,280 JANF Fe 6,135000 0:55-77 (0666) A 774B CLT Fee 6,15000 2:57 PM (0666) A 4,073B CLT Fee 6,15000 2:57 PM (0666) A	The contract of the contract o	***		6,5/2000 9: 44 AM	(0666) A
12:05 JANA File 6/15/2000 10:15 AM (0666) A 7-48 Text Donument 6/30:00 2-57 PM (0666) A 4,0738 CLIT Feb 6/16/2000 2:15 PM (0666) A				6,6/2000 9:44 AM	(D666) A
1.868 Out Re 65/2000 2-47 PM (0666) A 4,073 Out Re 6/16/2000 2-47 PM (0666) A 4,073 Out Re 6/16/2000 2155 PM (0666) A				6/15/2000 10:36 AM	(0 000) y
4,073 our file 6,08200 2.55 PM (0666) A 4,073 our file 6,16,2000 2.55 PM (0666) A 1,073 our file 6,16,2000 2.55 PM	Windows and the state of the st			6,9/2000 2:47 PH	k (9990)
4073B GUITE VIOLONO 2357M (VONO) A	(D)			6/8/2000 2:47 PM	(0666) A
	Exektion .	4		6/16/2000 2/35 PM	(J000) A
					•
					•
	an species (D security (B) Control (The control of the control of				

AFFIDAVIT APPENDIX

Page 4 of 10

PRINT OUT OF UniParser.java, file dated 6/15/2000

```
/* UniParser.java

Steven Atkin 4/26/2000
This class provides methods for parsing the Unicode data table published

 * by the Unicode consortium www.unicode.org.
import java.io.*;
import java.lang.*;
import java.text.*;
import java.util.*;
import javax.swing.*;
 * UniParser parses the Unicode data table for a specific attribute
 * and then generates a Haskell 98 (Hugs 98) module for accessing the
 * attribute information.
 */
public class UniParser {
    public class Range{
        int start, end;
        public int getStart() (
           return start;
        public int getEnd() {
           return end;
        public void setStart(int begin) {
            start = begin;
        public void setEnd(int last) {
            end = last;
        public String toString() {
            return ("(0x" +
                     Integer.toHexString(start) +
                     ",0x" +
                     Integer.toHexString(end) +
                     ")");
    }
    int unicodeField = 0, attributeField = 0;
    BufferedReader dataIn;
    BufferedWriter dataOut;
    String delim = ";";
    String moduleName, typeName, functionName;
    String attributes[];
    String defaultAttrib;
    Vector tables[];
      * Constructor - must specify input data file and
      * output module name.
    public UniParser(String in, String out) {
        try {
             dataIn = new BufferedReader (new FileReader(in));
```

AFFIDAVIT APPENDIX

Page 5 of 10

```
FileOutputStream fileOut = new FileOutputStream.(out);
           OutputStreamWriter str = new OutputStreamWriter (fileOut,
"windows-1252");
            dataOut = new BufferedWriter (str);
       catch (UnsupportedEncodingException el) {
            System.out.println(e1.toString());
            return;
        catch (IOException e) {
            System.out.println(e.toString());
            return;
        }
    }
      * Parse the individual line for specified token
    private String getToken(String data, int n) {
        StringTokenizer parser;
String token = "";
        parser = new StringTokenizer(data, delim);
        while(parser.hasMoreTokens() && n > 0) {
            token = parser.nextToken();
            --n;
        return token;
    }
      * Determine the Unicode codepoint value
      */
    private String getCodePoint(String data) {
        return getToken(data, unicodeField);

    * Get the attribute field

    private String getAttribute(String data) {
        return getToken(data, attributeField);
    private void insert(Range r, String bi) {
        /* Add the codepoint to the corresponding vector */
            for(int i = 0; i < attributes.length; ++ i) {</pre>
                 if(bi.equals(attributes[i])) {
                     tables[i].addElement(r);
                     break;
                 }
            }
    }
      * Parse the entire data file for tokens
    public void parse() {
        String in, cp, bidiattr, lastattr = "";
         int unival, lastunival = 0;
         Range range = new Range();
```

AFFIDAVIT APPENDIX

Page 6 of 10

```
StringTokenizer parser;
    try {
        /* Read one line at a time */
        while((in = dataIn.readLine()) != null) {
            cp = getCodePoint(in);
            unival = Integer.parseInt(cp, 16);
            /* Get the attribute value */
            bidiattr = getAttribute(in).toLowerCase();
            if(unival == 0) {
                    lastattr = bidiattr;
                    range = new Range();
                    range.setStart(0);
            if(unival == 0xfffd) {
                    range.setEnd(unival);
                    insert(range, lastattr);
            if(!bidiattr.equals(lastattr)) {
                    range.setEnd(lastunival);
                    insert(range, lastattr);
                    range = new Range();
                    range.setStart(unival);
                    lastattr = bidiattr;
            lastunival = unival;
        dataIn.close();
    catch (IOException e) {
        System.out.println("error parsing data file");
        return;
}
  * Turn the vector's contents into a string
private String toString(Vector v) {
    int max = v.size() - 1;
   StringBuffer buf = new StringBuffer();
    Enumeration e = v.elements();
   buf.append("{");
    for (int i = 0; i \le max; i++) {
       String s = e.nextElement().toString();
      buf.append(s);
      if (i < max)
       buf.append(", ");
        /* Write four per line */
        if ((i+1) %4 == 0 \&\& (i < max))
           buf.append("\n
                             ");
   buf.append("]");
   return buf.toString();
/**
```

AFFIDAVIT APPENDIX

Page 7 of 10

```
* Write the Haskell module header
     */
   private void writeModuleHeader() {
       Date date = new Date();
       DateFormat df = DateFormat.getDateTimeInstance(
                           DateFormat.FULL, DateFormat.FULL);
           dataOut.write("-- This file is computer generated do not modify");
           dataOut.newLine();
           dataOut.write("-- This is a Haskell 98 script file for Hugs98");
           dataOut.newLine();
           dataOut.write("-- " + moduleName + ".hs created on " + df.format
(date));
           dataOut.write(" by java UniParser");
           dataOut.newLine();
           dataOut.write("-- This module provides functions for obtaining " +
                          "Unicode character attributes");
           dataOut.newLine();
           dataOut.write("module " + moduleName + " (");
           dataOut.newLine();
                              " + functionName + ", ");
           dataOut.write("
           dataOut.newLine();
           dataOut.write("
                               " + typeName + ",");
           dataOut.newLine();
           for(int i = 0; i < attributes.length; ++i) {</pre>
               dataOut.write(" " + attributes[i].toUpperCase());
               if(i != attributes.length - 1)
                   dataOut.write(",");
               dataOut.newLine();
           /* Write the default type */
           if(defaultAttrib.length() != 0)
               dataOut.write(" , " + defaultAttrib.toUpperCase());
           dataOut.newLine();
           dataOut.write(")" + " where");
           dataOut.newLine();
       catch (IOException e) {
           System.out.println("error writing module header");
           return;
       }
   }
     * Create the attribute type for the haskell module
   private void writeModuleTypes() {
       try{
           dataOut.write("data " + typeName + " = ");
           dataOut.newLine();
            /* Write each attribute as a type constructor
             * with no arguments */
            for(int i = 0; i < attributes.length; ++i) {</pre>
                dataOut.write(" " + attributes[i].toUpperCase());
                if(i != attributes.length - 1)
```

AFFIDAVIT APPENDIX Application No. 09/838,377

Page 8 of 10

```
dataOut.write(" |"); .
               dataOut.newLine();
           /* Write the default type */
           if(defaultAttrib.length() != 0)
                                  | " + defaultAttrib.toUpperCase());
               dataOut.write("
           dataOut.newLine();
           dataOut.write("
                              deriving(Eq, Show)");
           dataOut.newLine();
       catch (IOException e) {
           System.out.println("error writing module types");
           return;
       }
   }
   /**
     * Write the test function for determing the attribute
     * of a Unicode character.
   private void writeModuleAccessFunc() {
       try {
           dataOut.newLine();
           dataOut.write("-- (Start range, End range)");
           dataOut.newLine();
           dataOut.write("member :: Integer -> [(Integer, Integer)] ->
Bool");
           dataOut.newLine();
           dataOut.write("member a {] = False");
           dataOut.newLine();
           dataOut.write("member a ((x,y):xs)");
           dataOut.newLine();
           dataOut.write("
                               1 a < x'');
           dataOut.newLine();
                                 = False");
           dataOut.write("
           dataOut.newLine();
                               | a <= y^n);
           dataOut.write("
           dataOut.newLine();
                                 = True");
           dataOut.write("
           dataOut.newLine();
                               | otherwise");
           dataOut.write("
           dataOut.newLine();
                                 = member a xs");
           dataOut.write("
           dataOut.newLine();
           dataOut.newLine();
           dataOut.write(functionName + " :: Int -> " + typeName);
           dataOut.newLine();
           dataOut.write(functionName + " x");
           dataOut.newLine();
            /* Check for all attributes */
            for(int i = 0; i < attributes.length; ++i) {</pre>
                                  | member (toInteger x) " + attributes[i]);
                dataOut.write("
                dataOut.newLine();
                                      = " + attributes[i].toUpperCase());
                dataOut.write("
                dataOut.newLine();
            /* Check for default attribute */
            if (defaultAttrib.length() != 0) {
                dataOut.write("
                                 | otherwise");
                dataOut.newLine();
```

AFFIDAVIT APPENDIX

Page 9 of 10

```
= " + defaultAttrib.toUpperCase());
            dataOut.write("
            dataOut.newLine();
   catch (IOException e) {
        System.out.println("error writing module accessor function");
        return;
    }
}
 * Write each vector out as a table.
private void writeModuleTables() {
   try {
        for(int i = 0; i < attributes.length; ++i) {</pre>
            dataOut.write(attributes[i] + " = " + toString(tables[i]));
            dataOut.newLine();
        }
   catch (IOException e) {
        System.out.println("error writing module tables");
}
/* Set the name of the Haskell module */
public void setModuleName(String name) {
   moduleName = name;
/* Set the data type name for the Haskell module */
public void setTypeName(String name) {
   typeName = name;
}
/* Set the name of the test function for the Haskell module */
public void setAccessFuncName(String name) {
    functionName = name;
/* Set which column the Unicode field is in */
public void setUnicodeField(int num) {
   unicodeField = num;
/* Set which field to parse */
public void setParseField(int num) {
   attributeField = num;
}
/* Specify the list of attributes to parse for */
public void setAttributeArray(String[] attribs) {
   attributes = attribs;
    tables = new Vector[attributes.length];
    for(int i = 0; i < tables.length ; ++ i) {</pre>
        tables[i] = new Vector();
}
/* Specify the default attribute */
```

}

Application No. 09/838,377

AFFIDAVIT APPENDIX

Page 10 of 10

```
public void setDefaultAttribute(String name) {
   defaultAttrib = name;
}
 * Write the Haskell module file.
 */
public void writeModule() {
   writeModuleHeader();
   writeModuleTypes();
   writeModuleTables();
   writeModuleAccessFunc();
       dataOut.close();
   }
   catch (IOException e) {
       System.out.println("error closing module file");
       return;
    }
}
/* Driver */
UniParser p = new UniParser("unidata", "Bidi.hs");
   p.setModuleName("Bidi");
   p.setTypeName("Bidi");
   p.setAccessFuncName("getBidiAttr");
   p.setUnicodeField(1);
   p.setParseField(5);
   p.setAttributeArray(attributes);
   p.setDefaultAttribute("1");
   p.parse();
   p.writeModule();
}
```

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER: ___

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.